

**CAN I VALIDATE JUST
ONE OF MY AUTOCLAVES?**

STEAM STERILIZATION EXPERT SERIES

 **BEYOND
CLEAN**



**Joel Schafer, CRCST
VP of Sterile Services, LLC**

Beyond Clean Steam Sterilization Expert Series:

CAN I VALIDATE JUST ONE OF MY AUTOCLAVES?

*Joel Schafer, CRCST
VP of Sterile Services, LLC*

Because there are no regulations that address in-chamber autoclave validations, the answer would technically be yes you can. What I can tell you from my own experience is that only validating one would be a mistake. I have personally experienced, on multiple occasions, a situation where identical autoclaves that were fed steam from the same supply had vastly different results.


One would meet all of the parameters set forth in AAMI ST79 and the other would not meet all of the parameters. On each of those “silent failures”, the department had no indication that this autoclave was not meeting all of the parameters required by ST79. The data collected during the validation was used to determine the causes of these failures. In some cases, the steam supply lines were not being maintained properly, in another, the steam supply lines were routed improperly causing a “dead head” where the steam became stagnant and began to condensate.

Other potential causes are valves or gaskets in the autoclave may be in need of adjustment, calibration, or replacement. Practically every Sterile Processing Department has certain autoclaves that get used more often than other autoclaves in the department and many departments have different model autoclaves that were installed at different times. All of these factors make it imperative that all autoclaves be validated at the very least on an annual basis.

Have more steam sterilization questions? Contact Joel at: joel@hhstx.com

Beyond Clean Steam Sterilization Expert Biography:

JOEL SCHAFFER, CRCST VP OF STERILE SERVICES, LLC



Joel Schaffer is the Vice President of Engineering and Product Development for Sterile Services, LLC. Based in Houston, Sterile Services evolved from its parent company Houston Hospital Services, Inc. from an ever-growing need for sterilization consultative services throughout the Texas Medical Center. While Sterile Services began in Houston with the Texas Medical Center, the company's reputation has grown beyond Texas and has led Joel into some of the most prestigious hospital institutions nationwide. Joel has over 15 years' experience working alongside sterile processing department staff and management. Growing from an onsite instrument repair technician into a consultative sales representative, Joel was able to personally design and manufacturer Sterile Services proprietary autoclave validation tools, including an inner-lumen sensor unique to surgical instrumentation validation. Joel is CRCST and a founding member of the Houston IAHCSSM chapter. With the increased awareness of the steam sterilization processes, Joel's ambition is to highlight the role of every hospital's sterile processing department and the steam sterilization process.

 **BEYOND**CLEAN 